

Data Field Description

Application table.

Data Field Description
All arrests table ID
Field used to create relationships across ISC DB
Date of arrest
Hawaii district
Field used to create relationships across ISC DB
Written saction/course of action.
Notes/ comments about sanction
Date of sanction
Date sanction is assigned
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Date entry was added.
Time entry was added.
User who entered data.
Date entry was updated.
Time entry was updated.
User who updated data.

Data Field Description
Alert ID
Sequence number
Identifier linking to many tables in ISC.
Date the alert was observed
Date the alert was entered into the system.
Type of alert
Contact person for Prisoner.
Expiration date for alert
Contact's phone number.
Alert description or any notes.
Record type
Identifier linking to many tables in ISC.
Identifier linking to many tables in ISC.
Date entry was added.
Time entry was added.
User who added entry.
Last date entry was updated.
Last time entry was updated.
User who updated entry
Description RTF

Data Field Description
Assess Reassessment ID
Initial Assessment flag
Reassessment flag
Date when created.
Date when next reassessment is due
No values stored in table
Proxy score
Risk score
Protective score
Treatment types
Latessa score
Matrix score
Flag to identify sex offender
Flag to identify high profile media case
Flag to identify dangerous offender
Name of Probation Officer
Phone Number of Probation Officer
Name of Parole Officer
Phone Number of Parole Officer
Name of Victim
Justification/Comments
Bail recommendation
Court Decision
Comments of the possible types of risk identified.
Supervision Level needed
The override Supervision Level
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Record type
Date when record added.
Time when record added.
User who added record.
Date when record was updated.
Time when record was updated.
User who updated record.
Date due
Flag to identify conditional release
Flag to identify Proxy
Flag to identify LSI
Flag to identify Latessa
Flag to identify Matrix
Flag to identify Probation
Flag to identify Parole
Flag to identify Supervision Override

Data Field Description
Alias identifier
Alias sequence number
Field used to create relationships across ISC DB
Alias system identifier
Full name of the offender
Last name of the offender
First name of the offender
Middle name of the offender
Full ssn of the offender
Full dob of the offender
Full id of the offender
Add date of the offender
Add time of the offender
Add user of the offender
Full lastupdatedate of the offender
Full lastupdatetime of the offender
Full lastupdateuser of the offender

Data Field Description
Complete drug list ID
Drug list order number
Drug list ID
Drug list name

Data Field Description
Original Charge table identifier
Field used to create relationships across ISC DB
Change sequence number.
Original charge open date.
Original charge open time.
Offenders' number.
Number of charges for Offender
Charge severity
HRS Code
Policy Report Number
OTN number.
Charge Release Codes
Last retake date
Last retake time.
Charge modifier code
Aggregated sequence number.
Bail amount
Flag to identify Offenders with no bail
Date of sentence.
Specified detail of sentence.
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Date charge was added
Time charge was added
User who added charge record into system.
Date charge was updated
Time charge was updated
User who updated the charge record in the system
Original charge aggregate sequence.
Type of charge
Charge severity

Data Field Description
Case Plan identifier
Date of case plan
Court date
Case number
No data
Identify new arrests.
Arrest date
Staff initials
Case plan notes.
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Date case plan was added
Time case plan was added.
User who added the case plan.
Date the case plan was updated.
Time the case plan was added.
User who updated the case plan.

Data Field Description
Plan Goal Objective Identifier
Field used to create relationships across ISC DB
Description of goal
Goal due date
Goal compliance date
Goal assigned to
Date goal was added.
Time goal was added.
User who added the goal.
Date goal was updated.
Time goal was updated.
User who updated the goal.

Data Field Description
Plan Goal Tasks Identifier
Plan Goal Identifier
Task description
Due date for goal task
Completion date for goal task
Goal task assigned to
Date plan goal task was added
Time plan goal task was added
User who added the plan goal task.
Date the plan goal task was updated.
Time the plan goal task was updated.
User who updated the plan goal task.
Date of the plan goal task.

Data Field Description
Plan Goal Task Subtask Identifier
Plan Goal Task Identifier
Subtask description
Completion Date
Due date
Subtask assigned to
Date Plan Goal Task Subtask was added
Time Plan Goal Task Subtask was added
User who added the Plan Goal Task Subtask.
Date the Plan Goal Task Subtask was updated
Time the Plan Goal Task Subtask was updated
User who updated the Plan Goal Task Subtask

Data Field Description
Plan Target Area Identifier
Plan Identifier
Target Area descriptio0n
Plan Target Ordering number (system artribute)
Date Plan Target Area was added.
Time Plan Target Area was added.
User who added the Plan Target Area.
Date the Plan Target Area was updated.
Time the Plan Target Area was updated.
User who updated the Plan Target Area.

Data Field Description
Condition of release identifier.
Code identifier
Branch Code
Type of release condition
Condition of release.
The name of the template for the condition of release.
Template text for the consitio of release
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Date conditon of release was added.
Time conditon of release was added.
User who added the consition of release.
Date conditon of release was last updated
Date conditon of release was last updatd
User who lasted the consition of release.
Recommend release flag.
Special condition flag.
Condition of release was checked flag.
Release ordered flag.
Compliant flag.
Non-Compliant flag.

Data Field Description
User Identifier
Worker Identifier
User Code
Branch code
Unit Code
Worker initials
Worker name
Total case
Number of open cases
Number od def
Total number of def
NewArrests Action
Total failed drug tests
Total assess past due
Number of submissions to prosecutor
Next court date
Number of past due cases
Number of no show cases
Number of appointments today.
Number of new arrests.
Total number of actions taken.
Total number of drug tests
Total failed
Date data was loaded
Last update date

Data Field Description
Worker Identifier
Branch code
Unit Code
Worker's initials
Worker's name
Total number of cases
Number of open cases
Number of defs
Total number of defs
Number of new arrests
Total number of failed drug tests over the total number of drug tests.
Totals assessments past due.
Number of cases submitted to a prosecutor.
Next court date.
Number of past due cases.
Number of no show cases.
Number of appointments today.
Number of new arrests.
Total number of actions taken.
Total number of drug tests.
Total failed
Date when data was loaded.
Last date this data was updated.

Data Field Description
Conviction history identifier.
Conviction history date.
Total number of felony convictions.
Total number of misdemeanor convictions.
Total number of petty misdemeanor convictions.
Total number of contempts.
Conviction history of comments.
Nature of offense comments.
Resource document.
Flag for NCIC requiring a warrant.
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Date when conviction history was added.
Time when conviction history was added.
User who added the conviction history.
Date when the conviction history was updated.
Time when the conviction history was updated.
User who last updated the conviction history.
Field used to create relationships across ISC DB
Flag to document conviction history was checked via HAJIS
Flag to document conviction history was checked via OBTS
Flag to document conviction history was checked via NCIC
Flag to document conviction history was checked via another source
Flag to note the current probation status
Flag to note the current parole status.
Flag to note the current status ISC Supervision
Flag to note current status other
Flag to note there is not current status.

Data Field Description
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Defendant's Name
Defendant's First Name
Defendant's First Name
Defendant's First Name
Defendant's SSN
Defendant's SEX
Defendant's DOB
Defendant's Race1
Defendant's Race2
Defendant's Race3
Defendant's PlaceOfBirth
Defendant's First Language
Defendant's First City
Defendant's First Country
Defendant's First Status
Defendant's First Note
Defendant's Height
Defendant's Weight
Defendant's Hair
Defendant's Eye
Defendant's TimeInCity
Defendant's TimeInState
Defendant's MilitaryServiceNo
Defendant's BailReportComment
Defendant's First Date
Defendant's First Time
Defendant's First User
Defendant's LastUpdateDate
Defendant's LastUpdateTime
Defendant's LastUpdateUser
Defendant's YN
Flag - Defendant is a Military Veteran

Data Field Description
Drug Addition Identifier
Foreign Key
Foreign Key
Name of drug
Used drugs flag.
Date last used drugs.
How much drugs used.
How often used drugs.
When first used drugs.
Date when drug addition data was added.
Time when drug addition data was added.
User who added the drug addition data.
Date when drug addiction data was last updated.
Time when drug addiction data was last updated.
User who last updated the drug addiction data.

Data Field Description
Drug list identifier
Name of drug
Application attribute - order of drug
Date when drug was added
Time when drug was added
User who added drug
Date when drug was last updated
Time when drug was last updated
User who updated drug.

Data Field Description
Document Log Identifier
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Name of the document.
Location of the document.
Name of template
User ID
User Code
Type of document
Date when log entry was created
Time when log entry was created

Data Field Description
Drug Testing Identifier
Field used to create relationships across ISC DB
Date of testing.
Frequency of testing.
Drug Testing Comments
Type of Drug Testing
Type of Drug Testing
Test Results
No Data
Flag - tested marijuana
Flag - tested Amphetamine
Flag - tested Cocaine
Flag - tested Alcohol
Flag - tested Opiate
Flag - test_othered Drug
Flag - actioned Taken
Flag - dateed Sanctioned
Flag - test_other_druged Name
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Date the drug testing entry was added into the system.
Time the drug testing entry was added into the system.
User who entered the drug testing entry.
Date the drug testing records were updated.
Time the drug testing records were updated.
user who updated the drug testing records.

Data Field Description
Employment Identifier
Employement record type
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Date employment added
Time employment added
User who added employment entry
Date employment was updated
Time employment was updated
User who updated the employment entry

Data Field Description
Employment Identifier
Employment S-Identifier
Employment record type
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Date employment added
Time employment added
User who added employment entry
Date employment was updated
Time employment was updated
User who updated the employment entry

Data Field Description
Employer Identifier
Employment Identifier
Employer type
Employer record ID.
Employed status
Unemployment length
How supported
Skill Trade
School
Length of schooling
Full time or Part time schooling
Employment bail report comment.
Employer record type
Employer start date.
Length of employment.
Employer name
Employer Address
Employer City
Employer State
Employer Zip code
Employer Supervisor
Employer Phone
Position at Employer
Employment Full Part Time
Employment Termination date
Reason for termination
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Date employer information was added.
Time the employer information was added.
User who added the employer information.
Date the employer information was updated.
Time the employer information was updated.
User who updated the employer information.
Field used to create relationships across ISC DB
Flag - Able to return to employer.
Flag - Employed.
Flag - Unemployed.
Flag - Is a student.
Flag - Verified employment.

Data Field Description
Family Identifier
Marital status
Years married.
Name of spouse or companion.
Number of dependents
Record type
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Date family information was added.
Time family information was added.
User who added the family information.
Date the family information was updated.
Time the family information was updated.
User who updated the family information.

Data Field Description
Family Next of Kin Identifier.
Name of next of kin
Relationship of next of kin.
Address of next of kin.
City of next of kin.
State of next of kin.
Zip code for next of kin.
Home phone for next of kin.
Work phone for next of kin.
Family Identifier
Date next of kin information was added.
Time next of kin information was added.
User who added the next of kin information.
Date the next of kin information was updated.
Time the next of kin information was updated.
User who updated the next of kin information.

Data Field Description
Greenbox Arrest Record Identifier
Greenbox Arrest report ID
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Name of the Greenbox Arrest file.
Last name of the Greenbox Arrest Record.
First name of the Greenbox Arrest Record.
Middle name of the Greenbox Arrest Record.
SSN of the Person with the Greenbox Arrest Record.
Date of Birth for the Person with the Greenbox Arrest Record.
Arrest date of the Person with the Greenbox Arrest Record.
Social Worker Initials of the Person with the Greenbox Arrest Record.
How match.
Date when the record was first loaded.
Date when record was last updated.
Date when the record was create.

Data Field Description
Intake Identifier
Interview Date
Interview Time
Type of Bail Report
Location of Interview
Type of Interview
Interview not complete
Interview Complete Date
Reason for Interview
Court code
Branch code
Unit code
Name on case.
Last name on case.
First name on case.
Middle name on case.
Social Worker initials
Recommendation
Court decision
Judge for case
Prosecutor for case
Public Defender for case
Sentence date
Disposition date
Release condition
Comment
Sponsor Info
Comment documenting non-appearance.
Documenting possible dangers of Person.
Custody status1
Custody status2.
Date of admission.
Facility where admitted.
Date of Bail Hearing.
Time of Bail Hearing.
Assigned Social Worker.
Date forward
Prepared by
Approved by
Documented health concerns to include in Bail Report.
Recommendation
Condition of release.
Documented available financial resources.
Sponsor's name.
Sponsor relationship
Comment documenting why sponsor is not a viable option for sponsoring Person.

Field used to create relationships across ISC DB
User who added intake record.
Date intake record was added.
Time the intake record was added.
User who updated the intake record.
Date the intake record was updated.
Time the intake record was updated.
Flag - Interview Type A
Flag - Interview Type B
Flag - Interview Type ER
Flag - Interview Type FT
Flag - Interview Type H
Flag - Interview Type I
Flag - Interview Type M
Flag - Interview Type MD
Flag - Interview Type U
Flag - Interview Type MHIDoc
Flag - Interview Type Other
Flag - Interview Complete
Flag - Bench Warrant
Flag - Weed Seed
Flag - Sponsor is eligible
Flag - Sponsor is viable
Flag - Interview type motion
Documented bail motion.

Data Field Description
Drug Identifier
Date when documented drug information was added.
Alert
None
Comment from Offender about drug use.
Documented prior drug treatment.
Location of prior drug treatment.
Date of prior drug treatment.
Flag - Completion status of prior drug treatment.
Flag - Offender interested in drug treatment
Location where Offender may be interested in future drug treatment.
Flag - Asking Offender if they have been here before.
User
Facility where Intake occurred
Flag - Large amount of drugs used.
Flag - UnableTo cut of drugs used.
Flag - Spend a lot of time using drugs.
Flag - High sick work.
Flag - High sick accident.
Flag - Less time.
Flag - Cause was driven by emotional or physical.
Flag - Cause was from a Family, Friend, or person from Work.
Flag - Cause was health related.
Flag - Increase amount of drugs used.
Flag - Avoid Withdrawal.
Flag - Get sick of drugs used.
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Flag - Drug alert
Flag - Number of drug alerts of drugs used.
Date entry was added.
Time entry was added.
User who entered data.
Date last updated.
Time last updated.
User who last updated.

Data Field Description
Med Mental Health Identifier
Med Mental Health data entry date.
Facility documented.
Flag if there is a Med Mental Health Alert.
Flag if Offender has been here before
Flag if offender has not been interviewed.
Notes about offender not being interviewed.
Flag if office has been indicated.
Notes about the officer indicated.
Flag about any physical injuries observed.
Flag about Medical Mental Health Disassociated.
Flag about Offender possessing an altered consciousness.
Flag about Offender having limited movement.
Flag about Offender having parasites on body.
Flag about Offender having Medical Mental Illness.
Flag about Medical Mental condition under the influence.
Flag about Offender possessing needle marks.
Notes about Medical Mental Health Observations
Flag about Medical Mental Allergies.
Flag about observing a head injury to Offender.
Flag about observed infectious disease
Flag about observing symptoms of illness
Flag about Medical Mental Doctors Care for Offender.
Flag about Medical Mental Medications for Offender.
Flag about Offender having limited movement due to Medical condition.
Flag about Offender having dietary restrictions.
Flag about Offender having organ removed or replaced.
Flag about Offender having a prosthetic device.
Flag about Offender having dental problems.
Flag about Offender using drugs.
Notes or questions documented.
Flag about Offender being pregnant
Flag about Offender having Gyn Problems
Notes about female related documented observations.
Date and time of PPD
Date and time read PPD.
Documented results.
Documented xray results
Reviewed by Medical Staff
Flag Offender exhibited aggressive behavior.
Flag Offender was loud and/or obnoxious.
Flag Offender exhibited bizarre behavior.
Flag Offender appeared confused.
Flag Offender appeared tearful and/or distressed
Flag Offender was uncooperative.
Flag Offender was incoherent.

Flag Offender was passive and/or withdrawn.
Flag Offender was restless and/or overreactive.
Flag Offender had none of the above risks.
Note about mental risk observations.
Flag Offender appeared remorseful or shameful.
Flag Offender was worried and/or family.
Flag Extremefender had or extreme the fear hopelessness.
Flag Offender appeared evidenceful self mutilationful.
Flag Offender was amhd and/or amhd.
Flag Offender was 704_condrel and/or insanity.
Flag Offender appeared selfful report smiful.
Flag Offender has Mental Health Housing History at OCCC.
Flag about Offender having none of the above verbal observations
Note about verbal observations.
Flag Offender was receiving counseling.
Flag Offender has been hospitalized for mental health issues.
Flag Offender was taking medication for mental health issues.
Flag Offender experienced significant loss.
Flag Offender appeared thoughtful about suicide.
Flag Offender attempted suicide.
Note about Offender attempting suicide.
Note documenting why the Offender attempted suicide.
Note documenting how the Offender attempted suicide.
Flag Offender had a family, close friend, attempt or commit suicide.
Flag Offender was thinking about suicide now.
Flag Offender's crime is high profile.
Flag Offender had nightmares.
Flag Offender avoids thoughts of abuse.
Flag Offender was constantly and/or onguard.
Flag Offender has been here before.
Flag Offender was conditionally released.
Flag Offender hears things others cannot.
Flag Offender believes they are under mind control.
Flag Offender needs to be talked to slowly.
Flag Offender feels useless and/or sinfulful.
Flag Offender has been under suicide watch.
Flag Offender wants to harm others.
Note about mental health questions.
Note extra mental health notes.
Person who interviewed Offender.
Mental Health Staff who interviewed Offender.
User who entered in data.
Flag Medical Mental Health Detached.
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Number of Medical Alerts

Number of Mental Health Alerts
Medical Mental Health Alert
Medical Mental Health Alert
Date data was added.
Time data was added.
User who entered in data.
Date the data was last updated.
Time the data was last updated.
User how last updated the data.
Flag nurse was called.
Flag Medical attention was referred.
Flag Mental Health assistance was referred.
Flag Offender has a mental health emergency.
Flag mental health gen pop
Flag other check.
Flag Medical Mental ER Med Disp
Flag Offender was in infirmary and/or Med Disp.
Flag Offender same day had Med Disp.
Flag Scheduled Appointment Med Disp.
Flag Offender MH Refer Med Disp.
Flag Med Emergecy Med Disp.
Flag Med Gen Pop Med Disp.
Flag Offender Other Med Disp.
Flag same day Mental Health Disp
Flag Scheduled Appointment Medical Health Disp
Flag Mental Health Module
Flag Gen Pop Mental Health Disp.
Flag Other Medical Health Disp.
Flag Victim Physical Pshcho Sex Violence.
Flag Offender Enrolled in Special Education Class.
Flag Offender was recently discharged from Hawaii State Hospital.
Flag Offender Suffers from Alcohol and/or Drug Withdrawal.
Name of Nurse.
Time nurse was called
Name of Emergency contact that was called.
Time Emergency contact was called.

Data Field Description
Suicide Attempt Identifier
Field used to create relationships across ISC DB
Offender attempted suicide.
When Offender attempted suicide.
Why did the Offender attempt suicide.
How did the Offender attempt suicide.

Data Field Description
Proxy Identifier
Intake Date
Intake Time
Officers Name
Age First Arrest AV
Number of Prior Arrests
Current age AV
Age of first arrest PS
Number of Prior arrests PS
Current Age PS
Total PS
Offender Agreed.
Offender Refused.
Date Entered
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Add Date
Add Time
Add User
Last Update Date
Last Update Time
Last Update User

Data Field Description
Report Identifier
Field used to create relationships across ISC DB
Social security number.
Date of arrest.
District processing arrest.
OTN code.
ORI Identifier
Date of most recent charge
Sanction information
Sanction note
Date of sanction
No Data
Field used to create relationships across ISC DB
Date assigned
Field used to create relationships across ISC DB
Flag - Is latest
Date added
Time added
User who added.
Date last updated
Time last updated
User who last updated

Data Field Description
Report Identifier
Number of charges
Police Report Number
Processing district
Charge date
Charge HRS ID
HRS description
Charge disposition
Bail amount
Charge sanction
Date of sanctions charge
Field used to create relationships across ISC DB
Assigned date
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Flag is latest.
Supervisory Release Identifier at Arrest

Data Field Description
Note Identifier
Date of note
Time of note
Social Worker
Type of note
Description
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Number of cases
Date added.
Time added.
User who added.
Date of last update.
Time of last update.
User who last updated.
Note other type

Data Field Description
ORAS Identifier
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
ORAS Branch
ORAS Unit
Assessed date
User who assessed
Updated assessed date.
User who updated assessed.
Police report number
Case report number
Hold flag
No bail flag
PRBV flag
Drug court flag
Mental health court flag
Serving sentence flag
SR or Bail revocation flag
ORAS completed prior to admission flag
HOPE probation court flag
Refused flag
Incapacitated due to mental health flag
Incapacitated due to medical flag
Bail/bond flag
Released flag
Other flag
Other text
Initial Age of first arrest
Initial Number of failure to appear
Initial Prior jail incarceration
Initial Residential Stability
Initial Illegal drug use
Initial Severe drug use problem
Initial Employed at time of arrest
Updated Age of first arrest
Updated Number of failure to appear
Updated Prior jail incarceration
Updated Residential stability
Updated Illegal drug use
Updated Severe drug use problem
Updated Employed at time of arrest
Verified Initial Age of first arrest flag
Verified Initial Number of failure to appear flag
Verified Initial Prior jail incarceration flag
Verified Initial Residential Stability flag

Verified Initial Illegal drug use flag
Verified Initial Severe drug use problem flag
Verified Initial Employed at time of arrest flag
Verified Updated Age of first arrest flag
Verified Updated Number of failure to appear flag
Verified Updated Prior jail incarceration flag
Verified Updated Residential stability flag
Verified Updated Illegal drug use flag
Verified Updated Severe drug use problem flag
Verified Updated Employed at time of arrest flag
Override flag
Active supervision flag
Active supervision by ACSB
Active supervision by HPA
Active supervision by ISC
Qualifies to be held without bail flag
Current offense involves firearm or dangerous weapon flag
Assaultive flag
Current assaultive flag
Past assaultive flag
Pending charge flag
Pending felony flag
Current offense is felony flag
Wanted by NCIC flag
High media concern flag
Possibility of life sentence flag
Safety concern from victim flag
Not a resident of Hawaii flag
Arrested at airport flag
Mental health treatment flag
Substance abuse treatment flag
Age 65 or older flag
Debilitating medical condition flag
Other flag
Mental health treatment flag
Mental health treatment flag
Mental health treatment compliance flag
Mental health treatment compliance flag
Substance abuse treatment flag
Substance abuse treatment flag
Substance abuse treatment compliance flag
Substance abuse treatment compliance flag
Other Reasons text
Notes
Recommended level
Approved by
ACSB Compliance flag

ACSB Compliance flag
ACSB Revocation flag
ACSB Revocation flag
HPA Compliance flag
HPA Compliance flag
HPA Revocation flag
HPA Revocation flag
ISC Compliance flag
ISC Compliance flag
ISC Revocation flag
ISC Revocation flag
Override flag
Active supervision flag

Data Field Description
ORAS Identifier
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
ORAS Branch
ORAS Unit
Assessed date
User who assessed
Updated assessed date.
User who updated assessed.
Police report number
Case report number
Assigned Social Worker
Flag - Offender appeared
Flag - Offender rescheduled
Flag - Offender no show
Flag - Offender was compliant
Flag - Offender was not compliant
Flag - Other event
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Date added
Time added
User who added
Date last updated
Time last updated
User who last updated
Type of service
Service description
Name of provider
Address of provider
City of provider
State of provider
Zip Code of provider
Provider contact
Provider phone
Service completed
Date entered into service
Field used to create relationships across ISC DB

Data Field Description
Resident Address Identifier
Resident Identifier
Resident record ID
Resident Type
Record Type
Start date
Length of residence
Resident Address
Resident City
Resident State
Resident Zip Code
Resident Phone
Resident Cohabitant
Resident Cohabitant Relationship
Number age of children at residence
Public military housing landlord
Public military housing landlord address
Resident Date Moved
Resident bail report comment
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Resident Add Date
Resident Add Time
Resident Add User
Date last updated
Time last updated
User who last updated
Length of residence checked
Live with compl checked

Data Field Description
Resident Identifier
Record type
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Date added
Time added
User who added
Date last updated
Time last updated
User who last updated
Resident Type

Data Field Description
Resident Identifier
Resident S Identifier
Record type
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Date added
Time added
User who added
Date last updated
Time last updated
User who last updated
Resident Type

Data Field Description
Revocation Identifier
Date revocation was initiated
Date of revocation pending presecutorial action
Date of warrant issues
Reason for revocation.
Other reason for revocation
Additional comments
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Date Added
Time Added
User who added
Date Last Updated
Time Last Updated
User who last updateed
Prosecutor Updated

Data Field Description
Risk Identifier.
Date of the interview.
Time of the interview
Type of Risk
Risk code
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Date record was added.
Time record was added.
User who added record.
Date last updated.
Time last updated
User who last updated record.
Sequence number.

Data Field Description
Supervised Release Identifier
Date Opened
Time Opened
Date Closed
Last name on Court Document.
First name on Court Document.
Middle name on Court Document.
Social Worker Initials
Note from Social Worker.
Date of Transfer.
Date of Release.
Type of Release
Initials of lead in charge.
Branch
Unit
Name of Program
Name of sponsor
Defendant Status
Supervisor Level
Response quality to Supervisor
Name of Judge.
Name of Attorney
Name of Prosecutor
Date of Next Court
Time of Next Court
Court Name
Purpose of Court Appearance.
Date of Close.
Disposition
Comments
Name of EMP Vendor
EMP Description
EMP Serial Number.
EMP Worker
EMP Date Issued
EMP Activation Date.
EMP Deactivation Date.
EMP Return Date.
EMP Termination Status
CSRP Hours
CSRP Hours Completed.
CSRP Placement Agency.
CSRP Placement Date
CSRP Compliance Date.
CSRP Court.
CSRP Note.

Supervisor Review Date.
Field used to create relationships across ISC DB
Field used to create relationships across ISC DB
Date added.
Time added.
User who added.
Date of last update.
Time of last update
User who last updated.
Date of Court Close

Data Field Description
Bail Report Court Info Identifier.
Code
Court Type
Circuit Type
Island
Date added.
Time added.
User who added.
Date last updated.
Time last updated.
User who last updated.

Data Field Description
Code Identifier.
Record Type
Code Types
Code Abbreviation
Code Description
Short Abbreviation
Long Description

Data Field Description
HRS Code
XH HRS Code
Category 1
Category 2
Law
XH Law
SEC Description
Charge Description
Identifier
Record identifier.
Long description
Chapter Number
XH Chapter Number
Section Number
XH Section Number
Grade 1
XH Grade 1
Grade 2
XH Grade 2
Chap description
XH Part description
Part description
XH Part Description
Date added.
Time added.
User who added record.
Date last updated.
Time last updated.
User who last updated record.

Data Field Description
Group Identifier
Group Identifier Types.
Date added.
Time added.
User who added record.
Date last updated.
Time last updated.
User who last updated record.

Data Field Description
ISC Identifier
Codes
Names
Address1s
Address2s
City
State
ZipCode
Phone
Date added.
Time added.
User who added record.
Date last updated.
Time last update.
User who last updated record.

Data Field Description
Other Identifier.
Group ID Types
Code
Sequence Number.
Description.
Date added.
Time added.
User who added record.
Date last updated.
Time last updated.
User who last updated record.

Data Field Description
Report Type Identifier.
Codes
Descriptions
Date added.
Time added.
User who added data.
Date last updated.
Time last updated.
User who last updated data.

Data Field Description
Risk and Condition Identifier.
Sequence number.
Risk Type
Risk Codes.
Risk description.
Conditon description.
Date added.
Time added.
User who added record.
Date last updated.
Time last updated.
User who last updated record.

Data Field Description
Special Condition Translation Identifier.
Code
Translation.
Release description
Date added.
Time added.
User who added record.
Date last updatd.
Time last updated.
User who last updated record.

Data Field Description
User Identifier
User code
User's name
User's Branch
User's Unit
Deafult interview site.
Date added.
Time added.
User who added record.
Date last updated.
Time last updated.
User who last updated record.